

PRODUCT INFORMATION

REGUPOL EQUILINE MULTI



Applications:

Flooring for stables, stable aisles, open stalls, washbays, walkways.

Special features and benefits:

Single-layer tile structure. All multi tiles are gentle on hooves and joints, high sound absorption, heat insulating, slip resistant, permeable to water when laid loose over a compacted base. A tread layer is not needed. In addition the 43 mm multi tile has underside drainage grooves, dummy joint on surface at 500 mm and pre-drilled holes on the sides.

Installation:

Can be adhered or laid loose over concrete / asphalt. The 43 mm multi tile can be laid loose over a compacted sub-base. For use on walls, the tiles can be mounted with adhesive.

Material:

PUR binders, components made of synthetic rubber - coloured

Dimensions:

1000 x 1000 x 15 mm

1000 x 500 x 43 mm

tolerances: length/width $\pm 1\%$ | thickness ± 2 mm




Available colours:



black



terracotta



grey

Deviations from the colours shown are possible due to production batches and display or print reasons.



PRODUCT INFORMATION


REGUPOL EQUILINE MULTI



Properties	Standard	Result
Material		PUR binders, components made of synthetic rubber (SBR), coloured
Thickness		15mm and 43 mm
Dimensions		1000 × 1000 mm (15mm), 1000 x 500 mm (43mm)
Tolerances		length/width ± 1 % thickness ± 2 mm
Weight		approx. 14 kg/m ² (15mm), approx. 37 kg/m ² (43mm)
Impact resistance	based on EN 1517	> 21 Nm
Tensile strength	based on DIN EN ISO 1798	approx. 1.20 N/mm ²
Elongation at break	based on DIN EN ISO 1798	approx. 90 %
Abrasion	based on DIN ISO 4649	approx. 265 mm ³
Hardness	based on DIN ISO 7619-1	approx. 40 Shore A
Migration of certain elements	EN 71-3	passed
Water permeability	based on DIN 18035-6	> 0.5 L/m ² /s measured across the area > 5 L/m ² /s measured at the joints
Chlorine resistance	based on DIN EN ISO 175	consistent
Temperature resistance	in-house testing	- 30 °C to + 70 °C
Cold breaking resistance	in-house testing	24 h / - 40 °C, no break

Assembly example

REGUPOL equiline multi on concrete



REGUPOL equiline multi
 REGUPOL adhesive 40-203 (green)
 REGUPOL barrier 99-101 (white/yellow)
 Concrete slab prepared to AS1884

REGUPOL equiline multi on crusher dust



REGUPOL equiline multi
 Sand
 Compacted crusher dust