

THE FLOORING SOLUTION FOR YOUR **FITNESS FACILITIES** END OF TRIP




OUR FLOOR FOR END-OF-TRIP

Be more active:

Encouraging people to be more active by installing first-class end-of-trip amenities is becoming more popular and, in most cases, mandatory for new buildings. EOT facilities must withstand the rigours of bike cleats and off-the-street dirt and water. As well as be suitable for sustainable building practices and aesthetics.

Design your EOT area according to your creative ideas. Use our vast colour range to create integrated logos, markings, and directional signs. Match the colour of your End of Trip areas to other architecturally designed surrounds.



Rolls

Slip-resistant | comfortable | hard-wearing | easy on body and joints | standard thicknesses: 8 or 12 mm

Our products: REGUPOL everroll classic, REGUPOL everroll ultimate

Our advice:

Which colours best suit your project?
Try them out and see for yourself! With our Flooring Designer, you can test colours in a virtual room.


AVAILABLE

COLOURS


FOR END-OF-TRIP

REGUPOL everroll ultimate Available standard or pre-sealed


Areas with cleated footwear require the use of 8mm thickness.




Jakarta [3003]
4mm (intensity jakarta)



Kýpros [3002]
4mm (intensity kypros)




Oslo [1208]
4mm (active oslo)




Paris [1085]
4 | 8mm (intensity berlin)




Berlin [2005]
4mm (active berlin)




Mons [3138]
4 | 8mm (intensity mons)




Pompeji [1194]
4mm (active mons)



Island [3000]
4 | 8mm (intensity island)




Nome [2004]
4mm (active nome)



Helsinki [3001]
4mm (intensity nome)



Kush [2001]
4mm (active kush)



Goa [2000]
4mm (active goa)


(brackets show superseded product name)




Deviations from the colours shown are possible due to production batches and brochure print.

REGUPOL everroll vitality Available standard in **edition 4.0** or pre-sealed

Areas with cleated footwear require the use of 8mm thickness.



Berlin [3116]
4mm (vitality berlin)




Nome [3115]
4mm (vitality nome)




Kush [3112]
4mm (vitality kush)

REGUPOL everroll classic Available standard in **edition 4.0** or pre-sealed


Areas with cleated footwear require the use of 8mm thickness.




Auckland [3241]
4 | 8mm (tone auckland)




Nome [3121]
4 | 8mm (tone nome)




Palau [3031]
4 | 8mm (core palau)




Sydney [3240]
4 | 8mm (tone sydney)




Bern [3122]
4 | 8mm (tone berlin)




Kush [3118]
4 | 8mm (tone kush)




Lhasa [3180]
4 | 8mm (tone lhasa)




Amsterdam [3145]
4 | 8mm (core amsterdam)



Goa [3033]
4 | 8mm (core goa)



Manaus [3032]
4 | 8mm (core manaus)




Melbourne [3029]
4 | 8mm (core melbourne)




Berlin [3030]
4 | 8 | 12mm (core berlin)



Mons [3256]
4 | 8 | 12mm (core mons)



Perth [3239]
4 | 8mm (tone perth)



Marrakech [3276]
8mm (core marrakech)



edition 4.0 = brilliant colours and nonreflecting surface
(brackets show superceeded product name)



Deviations from the colours shown are possible due to production batches and brochure print.

END OF TRIP AREAS

This system reflects a typical application with **REGUPOL everroll** floor coverings. For all other applications please contact the **REGUPOL** sports division. Please note that drawings are not to scale and are for illustration purposes only.



DISCLAIMER: The above information is given in good faith as a suggested guide in specifying REGUPOL everroll rubber flooring, no guarantee or warranty is expressed or implied. Any circumstances not covered by this guide should be referred to REGUPOL Australia or its Distributors for any particular attention required. There are, however, many factors that may affect the outcome of projects using our products that are beyond our control. REGUPOL Australia Pty. Ltd. cannot be responsible for poor climate conditions, inadequate surface preparation, poor application techniques, not observing curing times, improper thinning of adhesives or any variable beyond our control. No liability is accepted by REGUPOL Australia Pty. Ltd., our employees, distributors, representatives or agents, for any loss or damage, direct or indirect, that may result from using the information and/or suggestions as actual conditions for use that are beyond our control. All materials should be checked/tested for their suitability to the prevailing site conditions.



REGUPOL Australia Pty. Ltd.
155 Smeaton Grange Road
Smeaton Grange NSW 2567
phone +61 2 4624 0050
rubbersales@regupol.com.au

REGUPOL Germany GmbH & Co. KG
REGUPOL America LLC
REGUPOL Acoustics Middle East FZE
REGUPOL Schweiz AG
REGUPOL Zebra Athletics LLC
BSW Shanghai CO. LTD.

www.regupol.com.au