





OUR FLOOR FOR **POOLS**

Pool areas need to be safe:

Pool areas need to be safe, attractive, and barefoot-friendly. That is where our specially formulated REGUPOL everroll savanna range fits in. Designed for use in both indoor and outdoor pool areas. REGUPOL everroll savanna suits competition, public and exercise pool areas well.

Withstanding the vigorous aquatic pool environment with its almost granite reminiscence. You can extend this look and feel to areas like tiered seating, bleachers, walkways and even change rooms.

Design your pool area according to your creative ideas: There are no limits to our resilient pool flooring colour design using **REGUPOL** everroll ultimate indoor range. You can integrate logos, markings or lane numbers or specify running directions. Match the colour of your surroundings with the natural tones available or make them stand apart from the natural environment.



Rolls

Slip-resistant | robust and resilient

Our products: REGUPOL everroll savanna (outdoor areas), also available REGUPOL everroll ultimate (indoor areas)

AVAILABLE


COLOURS

FOR POOLS


REGUPOL everroll ultimate Available in standard



Jakarta [3003] **4mm** (intensity jakarta)



Kýpros [3002] **4mm** (intensity kypros)



Oslo [1208] 4mm (active olso)



Paris [1085]
4mm (intensity berlin)



Berlin [2005]


4mm (active berlin)



Mons [3138] **4mm** (intensity mons)




Pompeji [1194] 4mm (active mons)



Island [3000]
4mm (intensity island)



Nome [2004]
4mm (active nome)



Helsinki [3001] **4mm** (intensity nome)



Kush [2001] 4mm (active kush)




Goa [2000] 4mm (active goa)

REGUPOL everroll savanna Available in

Available in external UV stabalised



Berlin [1172] **3mm** (granite marine berlin)



Nome [3226] **3mm** (granite marine nome)





Mons [1177] **3mm** (granite marine mons)



POOL AREAS

This system reflects a typical application with **REGUPOL everroll** floor coverings. For all other applications please contact the **REGUPOL** sports division. Please note that drawings are not to scale and are for illustration purposes only.





The installation of REGUPOL everroll rubber flooring should be in strict accordance with the current Australian Stanards AS1884 - Resilient sheet and tile - Installation Practices in its complete entirety.

DISCLAIMER: The above information is given in good faith as a suggested guide in specifying REGUPOL everroll rubber flooring, no guarantee or warranty is expressed or implies. Any circumstances not covered by this guide should be referred to REGUPOL Australia or its Distributors for any particular attention required. There are, however, many factors that may affect the outcome of projects using our products that are beyond our control. REGUPOL Australia Pty. Ltd. cannot be responsible for poor climate conditions, inadequate surface preparation, poor application techniques, not observing curing times, improper thinning of adhesives or any variable beyond our control. No liability is accepted by REGUPOL Australia Pty. Ltd., our employees, distributors, representatives or agents, for any loss or damage, direct or indirect, that may result from using the information and/or suggestions as actual conditions for use that are beyond our control. All materials should be checked/tested for their suitability to the prevailing site conditions.



REGUPOL Australia Pty. Ltd.

155 Smeaton Grange Road Smeaton Grange NSW 2567 phone +61 2 4624 0050 rubbersales@regupol.com.au

REGUPOL Germany GmbH & Co. KG REGUPOL America LLC REGUPOL Acoustics Middle East FZE REGUPOL Schweiz AG REGUPOL Zebra Athletics LLC BSW Shanghai CO. LTD.